



7' Hot Tubs / Option Index










Occupancy	Water Capacity (6" gap between top of tub to water level)	Water Weight (6" gap between top of tub to water level) (water weight calculated at 50°F / 10.0°C)
Typical: 🖁 7	2194 Litres	2194 Kilograms
Max: 8	580 Gallons	4836 Pounds







Date Published April 21, 2023 W: forestcooperage.com P: +1 (250) 642-4899 E: info@forestcooperage.com









Occupancy	Water Capacity (6" gap between top of tub to water level)	Water Weight (6" gap between top of tub to water level) (water weight calculated at 50"F / 10.0"C)
Typical: 🖁 7	2194 Litres	2194 Kilograms
Max: 🖁 8	580 Gallons	4836 Pounds





ø7' x 3' Tub & Skirting Kit






Occupancy	Water Capacity (6" gap between top of tub to water level)	Water Weight (6" gap between top of tub to water level) (water weight calculated at 50"F / 10.0"C)
Typical: 🖁 7	2194 Litres	2194 Kilograms
Max: 🖁 8	580 Gallons	4836 Pounds





Date Published April 21, 2023

ø7' x 3' Tub & Multi Skirting Kit



5

FOREST

ø7' x 3' Tub & Wood Stove

Ø 84" (7')

Occupancy

Water Capacity
(6° gap between top of fub to water level)


Typical: \$\hat{1}\$5


2194 Litres


Max: \$\hat{1}\$6


580 Gallons


Water Weight
(6' gap between top of tub to water level)
(water weight calculated at 50°7/0.0°C)
2194 Kilograms
4836 Pounds














Occupancy	Water Capacity (6" gap between top of tub to water level)	Water Weight (6" gap between top of tub to water level) (water weight calculated at 50"F / 10.0"C)
Typical: 🖁 7	2700 Litres	2700 Kilograms
Max: 🖁 8	713 Gallons	5951 Pounds





Date Published April 21, 2023 W: forestcooperage.com P: +1 (250) 642-4899 E: info@fores






Occupancy	Water Capacity (6" gap between top of tub to water level)	Water Weight (6" gap between top of tub to water level) (water weight calculated at 50"F / 10.0"C)
Typical: 🖁 7	2700 Litres	2700 Kilograms
Max: \$\mathbb{1}{8}	713 Gallons	5951 Pounds







FOREST


ø7' x 3.5' Tub & Skirting Kit






Occupancy	Water Capacity (6" gap between top of tub to water level)	Water Weight (6" gap between top of tub to water level) (water weight calculated at 50°F / 10.0°C)
Typical: 🖁 7	2700 Litres	2700 Kilograms
Max: 🖁 8	713 Gallons	5951 Pounds







ø7' x 3.5' Tub & Multi Skirting Kit




25" -


11


FOREST

ø7' x 3.5' Tub & Wood Stove





Occupancy	Water Capacity (6" gap between top of tub to water level)	Water Weight (6° gap between top of tub to water level) (water weight calculated at 50°F / 10.0°C)
Typical: 🖁 5	2700 Litres	2700 Kilograms
Max: 🖁 6	713 Gallons	5951 Pounds







ate Published April 21 2023










Occupancy	Water Capacity (6" gap between top of tub to water level)	Water Weight (6" gap between top of tub to water level) (water weight calculated at 50°F / 10.0°C)
Typical: 🖁 7	3206 Litres	3206 Kilograms
Max: 🖁 8	847 Gallons	7066 Pounds




 Date Published
 April 21, 2023
 W: forestcooperage.com
 P: +1 (250) 642-4899
 E: Info@forestcooper









Occupancy	Water Capacity (6" gap between top of tub to water level)	Water Weight (6" gap between top of tub to water level) (water weight calculated at 50"F/10.0"C)
Typical: 🖁 7	3206 Litres	3206 Kilograms
Max: 🖁 8	847 Gallons	7066 Pounds



ø7' x 4' Tub & Skirting Kit






Occupancy


Water Capacity
(6° gap between top of tub to water level)


Typical: \$\frac{1}{4}7\$

Max: \$\frac{1}{8}8\$

Water Weight
(6° gap between top of tub to water level)
3206 Litres
3206 Kilograms
7066 Pounds









Be Confirmed ales department

Step Designs To Be Confirmed
Please contact sales department
for further information


Occupancy	Water Capacity (6" gap between top of tub to water level)	Water Weight (6" gap between top of tub to water level) (water weight calculated at 50"F / 10.0"C)
Typical: 🖁 7	3206 Litres	3206 Kilograms
Max: 🖁 8	847 Gallons	7066 Pounds







16


ø7' x 4' Tub & Wood Stove





Occupancy	Water Capacity (6° gap between top of tub to water level)	Water Weight (6" gap between top of tub to water level) (water weight calculated at 50"F/10.0"C)
Typical: 🖁 5	3206 Litres	3206 Kilograms
Max: 🖁 6	847 Gallons	7066 Pounds














Occupancy	Water Capacity (6" gap between top of tub to water level)	Water Weight (6" gap between top of tub to water level) (water weight calculated at 50"F / 10.0"C)
Typical: 🖁 7	4219 Litres	4218 Kilograms
Max: 🖁 8	1115 Gallons	9299 Pounds




ø7' x 5' Tub & **Equipment Box**












Water Capacity
(6" gap between top of tub to water level) Water Weight
(6' gap between top of tub to water level)
(water weight calculated at 50'F / 10.0'C)
4218 Kilograms Occupancy Typical: 17 4219 Litres Max: 1115 Gallons 9299 Pounds




FOREST


ø7' x 5' Tub & Skirting Kit







Occupancy
Water Capacity
(6° gap between top of fub to water level)
Typical: Î7
4219 Litres
Water Weight (6° gap between top of fub to water level)
4218 Kilograms
Wax: Î8
1115 Gallons
9299 Pounds











Give at least 6" Clearance from edge of pad to all parts of the tub







Give at least 6" Clearance from edge of pad to all parts of the tub

Date Published April 21 2023 W: forestrooperage com P: +1 (250) 642-4899 F: info@forestrooperage c